Camper's Na	me:		D.O.B:	
ALLERGY T	°CO:			
	Asthmatic: *Yes □ No □ *	higher risk for seve	re reaction	
	STEP 1: TRE	<u>ATMENT</u>		
Symptoms:		Give Checked M (To be determined by	edication **: physician authorizing trea	atment)
• If a food a	allergen has been ingested, but no symptoms	□ E pinephrine	☐ Antihistamine	□ Other
• Mouth	Itching, tingling, or swelling of lips, tongue, mouth	□ E pinephrine	☐ Antihistamine	□ Other
• Skin	Hives, itchy rash, swelling of the face or extremities	□ E pinephrine	☐ Antihistamine	□ Other
• Gut	Nausea, abdominal cramps, vomiting, diarrhea	□ Epinephrine	☐ Antihistamine	☐ Other
• Throat +	Tightness if throat, hoarseness, hacking cough	□ Epinephrine	☐ Antihistamine	☐ Other
• Lung +	Shortness of breath, repetitive coughing, wheezing	□ Epinephrine	☐ Antihistamine	☐ Other
• Heart+	Thready pulse, low blood pressure, fainting, pale, blueness	□ Epinephrine	☐ Antihistamine	☐ Other
• Other +	Ditteliess	_ □ Epinephrine	☐ Antihistamine	□ Other
• If reaction give	n is progressing (several of the above areas affected),	□ E pinephrine	☐ Antihistamine	□ Other
Č	e symptoms can quickly change. + Potentially life-threatening	g.		
•				
	inject intramuscularly (circle one): EpiPen® (Twinject ^T	0.15 mg /0.3mg 0.15mg/0.3mg	Auvi-Q [®] : 0.15 mg/0.	3mg
Antihistamine: medication/dose/route give Drug Name:Dose:((mg)	Repeat Every:	
		(····g)		
Other: medication/dose/route give Drug Name:		(mg)	Repeat Every:	
5-10 2 1 mg 1 m		\ <i>\\\\</i>		

۷.	Name/Relationship	Phone Number(s)		
	a	1.)	2.)	
	b.	1.)	2.)	

EVEN IF PARENT/GUARDIAN CANNOT BE REACHED, DO NOT HESITATE TO MEDICATE OR TAKE CHILD TO MEDICAL FACILITY!

Parent/Guardian Signature	Date
Doctor's Signature	Date